

60 Hz, 40° C., 200V, 230V, 460V or 575V

| TTRX Model | Fan Power | | WBT °F (°C) | 55 (12.8) | 65 (18.3) | 70 (21.1) | 75 (23.9) | 78 (25.6) | 80 (26.7) | 90 (32.2) |
|------------|-------------|----------------|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | No. of Fans | Total Power HP | HWT °F (°C) | 75 (23.9) | 85 (29.4) | 87 (30.6) | 92 (33.3) | 95 (35.0) | 97 (36.1) | 112 (44.4) |
| | | | CWT °F (°C) | 65 (18.3) | 75 (23.9) | 77 (25.0) | 82 (27.8) | 85 (29.4) | 87 (30.6) | 97 (36.1) |
| | | | Cooling Capacity at Indicated Operating Conditions | | | | | | | |
| i11930 | 1 | 3 | | 192 (43.5) | 246 (55.9) | 210 (47.8) | 241 (54.7) | 261 (59.3) | 276 (62.7) | 299 (67.9) |
| i11950 | 1 | 5 | | 230 (52.2) | 295 (67.0) | 252 (57.2) | 288 (65.5) | 310 (70.4) | 310 (70.4) | 310 (70.4) |
| i11975 | 1 | 7.5 | | 264 (60.0) | 310 (70.4) | 290 (65.8) | 310 (70.4) | 310 (70.4) | 310 (70.4) | 310 (70.4) |
| i21930 | 2 | 6 | | 374 (85.0) | 481 (109.2) | 411 (93.3) | 470 (106.8) | 510 (115.9) | 539 (122.4) | 584 (132.7) |
| i21950 | 2 | 10 | | 448 (101.8) | 576 (130.7) | 492 (111.8) | 563 (127.8) | 610 (138.6) | 620 (140.8) | 620 (140.8) |
| i21975 | 2 | 15 | | 515 (116.9) | 620 (140.8) | 564 (128.1) | 620 (140.8) | 620 (140.8) | 620 (140.8) | 620 (140.8) |
| i31930 | 3 | 9 | | 543 (123.4) | 698 (158.5) | 596 (135.4) | 683 (155.0) | 741 (168.2) | 782 (177.6) | 848 (192.6) |
| i31950 | 3 | 15 | | 651 (147.7) | 835 (189.6) | 714 (162.1) | 816 (185.4) | 885 (201.0) | 930 (211.2) | 930 (211.2) |
| i31975 | 3 | 22.5 | | 746 (169.5) | 930 (211.2) | 818 (185.8) | 930 (211.2) | 930 (211.2) | 930 (211.2) | 930 (211.2) |
| i41930 | 4 | 12 | | 712 (161.8) | 915 (207.8) | 782 (177.6) | 895 (203.2) | 971 (220.5) | 1025 (232.9) | 1112 (252.4) |
| i41950 | 4 | 20 | | 853 (193.7) | 1094 (248.5) | 935 (212.4) | 1070 (243.0) | 1160 (263.4) | 1225 (278.1) | 1240 (281.6) |
| i41975 | 4 | 30 | | 977 (221.9) | 1240 (281.6) | 1073 (243.6) | 1226 (278.4) | 1240 (281.6) | 1240 (281.6) | 1240 (281.6) |
| i51930 | 5 | 15 | | 881 (200.1) | 1132 (257.0) | 967 (219.7) | 1107 (251.3) | 1201 (272.6) | 1268 (288.0) | 1375 (312.3) |
| i51950 | 5 | 25 | | 1054 (239.5) | 1353 (307.4) | 1157 (262.8) | 1323 (300.5) | 1435 (325.8) | 1515 (344.0) | 1550 (352.0) |
| i51975 | 5 | 37.5 | | 1210 (274.7) | 1550 (352.0) | 1326 (301.2) | 1516 (344.3) | 1550 (352.0) | 1550 (352.0) | 1550 (352.0) |
| i61930 | 6 | 18 | | 1050 (238.4) | 1349 (306.4) | 1153 (261.8) | 1319 (299.5) | 1431 (324.9) | 1511 (343.2) | 1640 (372.4) |
| i61950 | 6 | 30 | | 1257 (285.4) | 1613 (366.2) | 1379 (313.1) | 1576 (357.9) | 1709 (388.2) | 1805 (410.0) | 1860 (422.4) |
| i61975 | 6 | 45 | | 1441 (327.2) | 1847 (419.4) | 1580 (358.8) | 1805 (410.0) | 1860 (422.4) | 1860 (422.4) | 1860 (422.4) |
| 041930 | 4 | 12 | | 678 (154.0) | 872 (197.9) | 744 (169.1) | 852 (193.4) | 924 (209.8) | 976 (221.7) | 1058 (240.4) |
| 041950 | 4 | 20 | | 811 (184.2) | 1041 (236.4) | 890 (202.1) | 1018 (231.1) | 1103 (250.6) | 1165 (264.5) | 1240 (281.6) |
| 041975 | 4 | 30 | | 930 (211.1) | 1190 (270.3) | 1020 (231.6) | 1165 (264.5) | 1240 (281.6) | 1240 (281.6) | 1240 (281.6) |
| 061930 | 6 | 18 | | 984 (223.5) | 1264 (287.1) | 1081 (245.4) | 1236 (280.8) | 1341 (304.5) | 1416 (321.6) | 1535 (348.7) |
| 061950 | 6 | 30 | | 1176 (267.2) | 1509 (342.7) | 1291 (293.1) | 1475 (335.0) | 1600 (363.4) | 1689 (383.6) | 1830 (415.7) |
| 061975 | 6 | 45 | | 1348 (306.2) | 1728 (392.4) | 1478 (335.7) | 1689 (383.6) | 1830 (415.7) | 1860 (422.4) | 1860 (422.4) |
| 081930 | 8 | 24 | | 1291 (293.1) | 1657 (376.3) | 1416 (321.6) | 1620 (368.0) | 1758 (399.2) | 1856 (421.6) | 2012 (457.0) |
| 081950 | 8 | 40 | | 1542 (350.2) | 1977 (449.1) | 1693 (384.5) | 1935 (439.4) | 2096 (476.1) | 2213 (502.7) | 2401 (545.3) |
| 081975 | 8 | 60 | | 1766 (401.2) | 2264 (514.1) | 1937 (439.8) | 2212 (502.5) | 2398 (544.6) | 2480 (563.2) | 2480 (563.2) |
| 101930 | 10 | 30 | | 1596 (362.5) | 2050 (465.5) | 1752 (397.9) | 2004 (455.2) | 2175 (493.9) | 2297 (521.6) | 2489 (565.3) |
| 101950 | 10 | 50 | | 1907 (433.0) | 2446 (555.4) | 2093 (475.4) | 2393 (543.5) | 2595 (589.2) | 2740 (622.2) | 2968 (674.0) |
| 101975 | 10 | 75 | | 2184 (496.1) | 2800 (635.8) | 2395 (544.0) | 2736 (621.3) | 2966 (673.6) | 3100 (704.0) | 3100 (704.0) |
| 121930 | 12 | 36 | | 1902 (431.9) | 2443 (554.7) | 2088 (474.1) | 2388 (542.2) | 2591 (588.4) | 2736 (621.3) | 2966 (673.6) |
| 121950 | 12 | 60 | | 2273 (516.3) | 2916 (662.2) | 2494 (566.4) | 2850 (647.2) | 3090 (701.7) | 3262 (740.8) | 3535 (802.8) |
| 121975 | 12 | 90 | | 2602 (591.0) | 3334 (757.1) | 2854 (648.1) | 3260 (740.4) | 3533 (802.3) | 3720 (844.8) | 3720 (844.8) |

60 Hz, 50° C., 230V, 380V, 460V

| TTXR Model | Fan Power | | Cooling Capacity at Indicated Operating Conditions | 13 | 18 | 21 | 21 | 24 | 27 | 32.2 | |
|------------|-------------|----------------|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|
| | No. of Fans | Total Power HP | | °F | (55.4) | (64.4) | (69.8) | (69.8) | (75.2) | (80.6) | (90.0) |
| | | | | HWT °C | 25 | 30 | 31 | 32 | 34 | 37 | 44.2 |
| | | | | (°F) | (77.0) | (86.0) | (87.8) | (89.6) | (93.2) | (98.6) | (111.6) |
| | | | CWT °C | 19 | 24 | 25 | 27 | 28 | 32 | 36.2 | |
| | | | (°F) | (66.2) | (75.2) | (77.0) | (80.6) | (82.4) | (89.6) | (97.2) | |
| | | | m³/hr | | | | | | | | |
| | | | (GPM) | | | | | | | | |
| i11930 | 1 | 3 | 44.5 (196) | 55.8 (246) | 46.2 (203) | 70.4 (310) | 53.4 (235) | 70.4 (310) | 70.4 (310) | 70.0 (308) | |
| i11950 | 1 | 5 | 53.5 (235) | 67.0 (295) | 55.5 (244) | 70.4 (310) | 64.2 (283) | 70.4 (310) | 70.4 (310) | 70.4 (310) | |
| i11975 | 1 | 7.5 | 61.7 (272) | 70.4 (310) | 64.0 (282) | 70.4 (310) | 70.4 (310) | 70.4 (310) | 70.4 (310) | 70.4 (310) | |
| i21930 | 2 | 6 | 86.8 (382) | 109.0 (480) | 90.2 (397) | 140.3 (618) | 104.4 (460) | 140.8 (620) | 140.8 (620) | 136.8 (602) | |
| i21950 | 2 | 10 | 104.4 (460) | 130.8 (576) | 108.4 (477) | 140.8 (620) | 125.4 (552) | 140.8 (620) | 140.8 (620) | 140.8 (620) | |
| i21975 | 2 | 15 | 120.2 (529) | 140.8 (620) | 124.6 (549) | 140.8 (620) | 140.8 (620) | 140.8 (620) | 140.8 (620) | 140.8 (620) | |
| i31930 | 3 | 9 | 126.1 (555) | 158.2 (697) | 130.9 (576) | 203.6 (896) | 151.5 (667) | 211.2 (930) | 211.2 (930) | 198.5 (874) | |
| i31950 | 3 | 15 | 151.5 (667) | 189.8 (836) | 157.2 (692) | 211.2 (930) | 181.8 (801) | 211.2 (930) | 211.2 (930) | 211.2 (930) | |
| i31975 | 3 | 22.5 | 174.3 (767) | 211.2 (930) | 180.8 (796) | 211.2 (930) | 209.1 (921) | 211.2 (930) | 211.2 (930) | 211.2 (930) | |
| i41930 | 4 | 12 | 165.3 (728) | 207.3 (913) | 171.6 (756) | 266.7 (1174) | 198.6 (875) | 281.6 (1240) | 281.6 (1240) | 260.3 (1146) | |
| i41950 | 4 | 20 | 198.6 (875) | 248.7 (1095) | 206.1 (907) | 281.6 (1240) | 238.3 (1049) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| i41975 | 4 | 30 | 228.3 (1005) | 281.6 (1240) | 236.9 (1043) | 281.6 (1240) | 273.9 (1206) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| i51930 | 5 | 15 | 204.6 (901) | 256.4 (1129) | 212.3 (935) | 330.0 (1453) | 245.7 (1082) | 352.0 (1550) | 352.0 (1550) | 321.9 (1417) | |
| i51950 | 5 | 25 | 245.7 (1082) | 307.6 (1354) | 254.9 (1122) | 352.0 (1550) | 294.7 (1297) | 352.0 (1550) | 352.0 (1550) | 352.0 (1550) | |
| i51975 | 5 | 37.5 | 282.6 (1244) | 352.0 (1550) | 292.9 (1290) | 352.0 (1550) | 338.6 (1491) | 352.0 (1550) | 352.0 (1550) | 352.0 (1550) | |
| i61930 | 6 | 18 | 243.7 (1073) | 305.6 (1346) | 252.9 (1114) | 393.3 (1732) | 292.8 (1289) | 422.4 (1860) | 422.4 (1860) | 383.6 (1689) | |
| i61950 | 6 | 30 | 292.7 (1289) | 366.5 (1614) | 303.7 (1337) | 422.4 (1860) | 351.1 (1546) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| i61975 | 6 | 45 | 336.6 (1482) | 421.0 (1854) | 348.9 (1536) | 422.4 (1860) | 403.4 (1776) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 041930 | 4 | 12 | 157.3 (693) | 197.4 (869) | 163.4 (719) | 253.8 (1117) | 189.2 (833) | 281.6 (1240) | 281.6 (1240) | 247.7 (1091) | |
| 041950 | 4 | 20 | 189.0 (832) | 236.6 (1042) | 196.0 (863) | 281.6 (1240) | 226.6 (998) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| 041975 | 4 | 30 | 216.9 (955) | 271.4 (1195) | 225.2 (992) | 281.6 (1240) | 260.4 (1146) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| 061930 | 6 | 18 | 228.5 (1006) | 286.5 (1262) | 237.2 (1044) | 368.7 (1623) | 274.4 (1208) | 418.8 (1844) | 418.8 (1844) | 359.5 (1583) | |
| 061950 | 6 | 30 | 274.0 (1206) | 343.2 (1511) | 284.3 (1252) | 422.4 (1860) | 328.7 (1447) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 061975 | 6 | 45 | 314.9 (1386) | 394.0 (1735) | 326.5 (1438) | 422.4 (1860) | 377.5 (1662) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 081930 | 8 | 24 | 299.5 (1319) | 375.5 (1653) | 310.9 (1369) | 483.0 (2126) | 359.7 (1584) | 548.9 (2417) | 548.9 (2417) | 471.1 (2074) | |
| 081950 | 8 | 40 | 359.0 (1581) | 449.6 (1979) | 372.4 (1640) | 563.3 (2480) | 430.7 (1896) | 563.3 (2480) | 563.3 (2480) | 563.3 (2480) | |
| 081975 | 8 | 60 | 412.6 (1817) | 515.9 (2272) | 428.0 (1885) | 563.3 (2480) | 494.4 (2177) | 563.3 (2480) | 563.3 (2480) | 563.3 (2480) | |
| 101930 | 10 | 30 | 370.5 (1631) | 464.5 (2045) | 384.5 (1693) | 597.7 (2631) | 445.2 (1960) | 679.0 (2989) | 679.0 (2989) | 582.7 (2566) | |
| 101950 | 10 | 50 | 444.1 (1955) | 555.9 (2448) | 461.0 (2030) | 704.1 (3100) | 533.1 (2347) | 704.1 (3100) | 704.1 (3100) | 697.0 (3069) | |
| 101975 | 10 | 75 | 510.2 (2246) | 638.1 (2809) | 529.1 (2330) | 704.1 (3100) | 611.3 (2691) | 704.1 (3100) | 704.1 (3100) | 704.1 (3100) | |
| 121930 | 12 | 36 | 441.4 (1944) | 553.5 (2437) | 458.3 (2018) | 711.9 (3134) | 530.2 (2334) | 809.0 (3562) | 809.0 (3562) | 694.3 (3057) | |
| 121950 | 12 | 60 | 529.1 (2330) | 662.3 (2916) | 549.3 (2419) | 844.9 (3720) | 635.0 (2796) | 844.9 (3720) | 844.9 (3720) | 830.6 (3657) | |
| 121975 | 12 | 90 | 607.8 (2676) | 760.3 (3347) | 630.2 (2775) | 844.9 (3720) | 728.6 (3208) | 844.9 (3720) | 844.9 (3720) | 844.9 (3720) | |

50 Hz, 40° C., 190V, 380V

| TTXR Model | Fan Power | | Cooling Capacity at Indicated Operating Conditions | 13 | 18 | 21 | 21 | 24 | 27 | 32.2 | |
|------------|-------------|----------------|--|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------|
| | No. of Fans | Total Power HP | | °F | (55.4) | (64.4) | (69.8) | (69.8) | (75.2) | (80.6) | (90.0) |
| | | | | HWT °C | 25 | 30 | 31 | 32 | 34 | 37 | 44.2 |
| | | | | (°F) | (77.0) | (86.0) | (87.8) | (89.6) | (93.2) | (98.6) | (111.6) |
| | | CWT °C | 19 | 24 | 25 | 27 | 28 | 32 | 36.2 | | |
| | | (°F) | (66.2) | (75.2) | (77.0) | (80.6) | (82.4) | (89.6) | (97.2) | | |
| | | | m³/hr (GPM) | | | | | | | | |
| i11930 | 1 | 3 | 44.5 (196) | 55.8 (246) | 46.2 (203) | 70.4 (310) | 53.4 (235) | 70.4 (310) | 70.4 (310) | 70.0 (308) | |
| i11950 | 1 | 5 | 53.5 (235) | 67.0 (295) | 55.5 (244) | 70.4 (310) | 64.2 (283) | 70.4 (310) | 70.4 (310) | 70.4 (310) | |
| i11975 | 1 | 7.5 | 61.7 (272) | 70.4 (310) | 64.0 (282) | 70.4 (310) | 70.4 (310) | 70.4 (310) | 70.4 (310) | 70.4 (310) | |
| i21930 | 2 | 6 | 86.8 (382) | 109.0 (480) | 90.2 (397) | 140.3 (618) | 104.4 (460) | 140.8 (620) | 140.8 (620) | 136.8 (602) | |
| i21950 | 2 | 10 | 104.4 (460) | 130.8 (576) | 108.4 (477) | 140.8 (620) | 125.4 (552) | 140.8 (620) | 140.8 (620) | 140.8 (620) | |
| i21975 | 2 | 15 | 120.2 (529) | 140.8 (620) | 124.6 (549) | 140.8 (620) | 140.8 (620) | 140.8 (620) | 140.8 (620) | 140.8 (620) | |
| i31930 | 3 | 9 | 126.1 (555) | 158.2 (697) | 130.9 (576) | 203.6 (896) | 151.5 (667) | 211.2 (930) | 211.2 (930) | 198.5 (874) | |
| i31950 | 3 | 15 | 151.5 (667) | 189.8 (836) | 157.2 (692) | 211.2 (930) | 181.8 (801) | 211.2 (930) | 211.2 (930) | 211.2 (930) | |
| i31975 | 3 | 22.5 | 174.3 (767) | 211.2 (930) | 180.8 (796) | 211.2 (930) | 209.1 (921) | 211.2 (930) | 211.2 (930) | 211.2 (930) | |
| i41930 | 4 | 12 | 165.3 (728) | 207.3 (913) | 171.6 (756) | 266.7 (1174) | 198.6 (875) | 281.6 (1240) | 281.6 (1240) | 260.3 (1146) | |
| i41950 | 4 | 20 | 198.6 (875) | 248.7 (1095) | 206.1 (907) | 281.6 (1240) | 238.3 (1049) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| i41975 | 4 | 30 | 228.3 (1005) | 281.6 (1240) | 236.9 (1043) | 281.6 (1240) | 273.9 (1206) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| i51930 | 5 | 15 | 204.6 (901) | 256.4 (1129) | 212.3 (935) | 330.0 (1453) | 245.7 (1082) | 352.0 (1550) | 352.0 (1550) | 321.9 (1417) | |
| i51950 | 5 | 25 | 245.7 (1082) | 307.6 (1354) | 254.9 (1122) | 352.0 (1550) | 294.7 (1297) | 352.0 (1550) | 352.0 (1550) | 352.0 (1550) | |
| i51975 | 5 | 37.5 | 282.6 (1244) | 352.0 (1550) | 292.9 (1290) | 352.0 (1550) | 338.6 (1491) | 352.0 (1550) | 352.0 (1550) | 352.0 (1550) | |
| i61930 | 6 | 18 | 243.7 (1073) | 305.6 (1346) | 252.9 (1114) | 393.3 (1732) | 292.8 (1289) | 422.4 (1860) | 422.4 (1860) | 383.6 (1689) | |
| i61950 | 6 | 30 | 292.7 (1289) | 366.5 (1614) | 303.7 (1337) | 422.4 (1860) | 351.1 (1546) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| i61975 | 6 | 45 | 336.6 (1482) | 421.0 (1854) | 348.9 (1536) | 422.4 (1860) | 403.4 (1776) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 041930 | 4 | 12 | 157.3 (693) | 197.4 (869) | 163.4 (719) | 253.8 (1117) | 189.2 (833) | 281.6 (1240) | 281.6 (1240) | 247.7 (1091) | |
| 041950 | 4 | 20 | 189.0 (832) | 236.6 (1042) | 196.0 (863) | 281.6 (1240) | 226.6 (998) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| 041975 | 4 | 30 | 216.9 (955) | 271.4 (1195) | 225.2 (992) | 281.6 (1240) | 260.4 (1146) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| 061930 | 6 | 18 | 228.5 (1006) | 286.5 (1262) | 237.2 (1044) | 368.7 (1623) | 274.4 (1208) | 418.8 (1844) | 418.8 (1844) | 359.5 (1583) | |
| 061950 | 6 | 30 | 274.0 (1206) | 343.2 (1511) | 284.3 (1252) | 422.4 (1860) | 328.7 (1447) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 061975 | 6 | 45 | 314.9 (1386) | 394.0 (1735) | 326.5 (1438) | 422.4 (1860) | 377.5 (1662) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 081930 | 8 | 24 | 299.5 (1319) | 375.5 (1653) | 310.9 (1369) | 483.0 (2126) | 359.7 (1584) | 548.9 (2417) | 548.9 (2417) | 471.1 (2074) | |
| 081950 | 8 | 40 | 359.0 (1581) | 449.6 (1979) | 372.4 (1640) | 563.3 (2480) | 430.7 (1896) | 563.3 (2480) | 563.3 (2480) | 563.3 (2480) | |
| 081975 | 8 | 60 | 412.6 (1817) | 515.9 (2272) | 428.0 (1885) | 563.3 (2480) | 494.4 (2177) | 563.3 (2480) | 563.3 (2480) | 563.3 (2480) | |
| 101930 | 10 | 30 | 370.5 (1631) | 464.5 (2045) | 384.5 (1693) | 597.7 (2631) | 445.2 (1960) | 679.0 (2989) | 679.0 (2989) | 582.7 (2566) | |
| 101950 | 10 | 50 | 444.1 (1955) | 555.9 (2448) | 461.0 (2030) | 704.1 (3100) | 533.1 (2347) | 704.1 (3100) | 704.1 (3100) | 697.0 (3069) | |
| 101975 | 10 | 75 | 510.2 (2246) | 638.1 (2809) | 529.1 (2330) | 704.1 (3100) | 611.3 (2691) | 704.1 (3100) | 704.1 (3100) | 704.1 (3100) | |
| 121930 | 12 | 36 | 441.4 (1944) | 553.5 (2437) | 458.3 (2018) | 711.9 (3134) | 530.2 (2334) | 809.0 (3562) | 809.0 (3562) | 694.3 (3057) | |
| 121950 | 12 | 60 | 529.1 (2330) | 662.3 (2916) | 549.3 (2419) | 844.9 (3720) | 635.0 (2796) | 844.9 (3720) | 844.9 (3720) | 830.6 (3657) | |
| 121975 | 12 | 90 | 607.8 (2676) | 760.3 (3347) | 630.2 (2775) | 844.9 (3720) | 728.6 (3208) | 844.9 (3720) | 844.9 (3720) | 844.9 (3720) | |

50 Hz, 50° C., 190V, 380V

| TTXR Model | Fan Power | | Cooling Capacity at Indicated Operating Conditions | 13 | 18 | 21 | 24 | 27 | 28 | 32.2 |
|------------|-------------|----------------|--|--------------|--------------|--------------|--------------|--------------|--------------------------|------|
| | No. of Fans | Total Power kW | | °C | (°F) | (°F) | (°F) | (°F) | (°F) | (°F) |
| | | | | HWT °C | (°F) | (°F) | (°F) | (°F) | (°F) | |
| | | | | CWT °C | (°F) | (°F) | (°F) | (°F) | (°F) | |
| | | | | | | | | | m ³ /hr (GPM) | |
| i11929 | 1 | 2.9 | 49.1 (216) | 61.5 (271) | 50.9 (224) | 58.9 (260) | 70.4 (310) | 70.4 (310) | 70.4 (310) | |
| i11945 | 1 | 4.5 | 57.2 (252) | 70.4 (310) | 59.4 (261) | 68.7 (302) | 70.4 (310) | 70.4 (310) | 70.4 (310) | |
| i21929 | 2 | 5.8 | 95.9 (422) | 120.2 (529) | 99.5 (438) | 115.1 (507) | 140.8 (620) | 140.8 (620) | 140.8 (620) | |
| i21945 | 2 | 9.0 | 111.8 (492) | 140.0 (616) | 116.0 (511) | 134.1 (590) | 140.8 (620) | 140.8 (620) | 140.8 (620) | |
| i31929 | 3 | 8.7 | 139.1 (613) | 174.4 (768) | 144.4 (636) | 167.1 (736) | 211.2 (930) | 211.2 (930) | 211.2 (930) | |
| i31945 | 3 | 13.5 | 162.1 (714) | 203.0 (894) | 168.3 (741) | 194.7 (857) | 211.2 (930) | 211.2 (930) | 211.2 (930) | |
| i41929 | 4 | 11.6 | 182.4 (803) | 228.5 (1006) | 189.3 (833) | 219.0 (964) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| i41945 | 4 | 18.0 | 212.6 (936) | 266.2 (1172) | 220.5 (971) | 254.9 (1122) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| i51929 | 5 | 14.5 | 225.5 (993) | 282.8 (1245) | 234.1 (1031) | 270.9 (1193) | 352.0 (1550) | 352.0 (1550) | 352.0 (1550) | |
| i51945 | 5 | 22.5 | 262.9 (1158) | 329.2 (1449) | 272.7 (1201) | 315.3 (1388) | 352.0 (1550) | 352.0 (1550) | 352.0 (1550) | |
| i61929 | 6 | 17.4 | 268.7 (1183) | 336.8 (1483) | 278.8 (1228) | 322.8 (1421) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| i61945 | 6 | 27.0 | 313.1 (1379) | 392.0 (1726) | 324.8 (1430) | 375.5 (1653) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 041929 | 4 | 11.6 | 173.4 (763) | 217.3 (957) | 180.0 (792) | 208.2 (917) | 281.6 (1240) | 279.9 (1233) | 272.8 (1201) | |
| 041945 | 4 | 18.0 | 202.0 (890) | 252.9 (1114) | 209.6 (923) | 242.4 (1067) | 281.6 (1240) | 281.6 (1240) | 281.6 (1240) | |
| 061929 | 6 | 17.4 | 251.8 (1109) | 315.5 (1389) | 261.4 (1151) | 302.3 (1331) | 422.4 (1860) | 406.5 (1790) | 395.7 (1742) | |
| 061945 | 6 | 27.0 | 292.9 (1290) | 366.7 (1615) | 303.0 (1334) | 350.5 (1543) | 422.4 (1860) | 422.4 (1860) | 422.4 (1860) | |
| 081929 | 8 | 23.2 | 330.0 (1453) | 413.5 (1821) | 342.6 (1508) | 396.2 (1744) | 563.3 (2480) | 532.6 (2345) | 518.6 (2283) | |
| 081945 | 8 | 36.0 | 383.0 (1686) | 479.4 (2111) | 397.5 (1750) | 459.4 (2023) | 563.3 (2480) | 563.3 (2480) | 563.3 (2480) | |
| 101929 | 10 | 29.0 | 408.3 (1797) | 511.5 (2252) | 423.6 (1865) | 490.0 (2157) | 704.1 (3100) | 658.7 (2900) | 641.2 (2823) | |
| 101945 | 10 | 45.0 | 473.7 (2086) | 592.8 (2610) | 491.3 (2163) | 568.0 (2501) | 704.1 (3100) | 704.1 (3100) | 704.1 (3100) | |
| 121929 | 12 | 34.8 | 486.5 (2142) | 609.5 (2684) | 504.7 (2222) | 583.8 (2570) | 844.9 (3720) | 784.9 (3456) | 764.0 (3364) | |
| 121945 | 12 | 54.0 | 564.0 (2483) | 705.8 (3107) | 585.4 (2577) | 676.3 (2978) | 844.9 (3720) | 844.9 (3720) | 844.9 (3720) | |